



Equipment for Measuring Odor

OMI ■ 近江オドエアサービス株式会社
OMI ODOR AIR SERVICE Co., Ltd.

Overseas Distributor:

CMT Japan Co., Ltd.


Kanda-Omiya Bldg. 5F, 1-23 Kanda-Jimbocho, Chiyoda-ku,
Tokyo 1010051, Japan

Tel:+81-3-5217-4555 Fax:+81-3-5217-4557

E-mail: info@cmtco.jp



Flex-Pump DC1-NA Type



Weight	500g (Including battery)
Measurements	Length 280mm (including cassette) Pump Diameter 38mm, Cassette Diameter 94mm
Flow Volume	With Adapter – about 35L/min Without Adapter – about 26L/min
Output	1.8W – 8000rpm (Maximum)
Accessories	2 D Batteries
Materials Used	Pump ••• Aluminum Cassette ••• ABS Resin
Suction Port	12φ(10φ) Discharge Port 10φ(8φ) ※() = Inner Diameter

Features

- The DC1-NA type was developed to enable gas sampling in places where it is difficult to bring large sample collection equipment. It is especially good as a collection pump for boundaries between sites.
- ※ Can be used for collection of gas from exhausts, but not 80 °C and above or with negative pressure.
- The cassette part through which the sample gas passes is replaceable, even if the odor adheres to the cassette, it is still possible to collect the gas by simply replacing it.

Changing the cassette allows
for multiple sampling!



Odor Analysis Simple Kit




Odor Analysis Simple Kit Contents

Reagent (Standard Odor)				
	Properties (Odors)	Concentration	Volume	Qty.
A	β -phenylethyl alcohol (smell of flowers)	10-4.0	5ml	1
B	Methylcyclopentenolone (sweet tenacious smell)	10-4.5	5ml	1
C	Isovaleric acid (smell of sweat)	10-5.0	5ml	1
D	γ -undecalactone (smell of fruit)	10-4.5	5ml	1
E	Skatole (smelly smell)	10-5.0	5ml	1
Control Solution			50ml	1
Odor Paper Strips			1000 (500×2)	

Note: The 「Odor Analysis Guard」 pictured here is not included in the set. (Sold Separately)

Our Odor Analysis Simple Kit Criteria Odor for the Tester is based on the T&T Olfactometer (Standard Odor), approved as a diagnostic agent for odor testing by Japan's Ministry of Health, Labor and Welfare.

Odor Bag



推奨マーク

Recommended by the Japan Association on Odor Environment (JAOE).

Odor Bag Sizes

3L(250 × 250) 1 Box 300 Pcs.

6L(250 × 420) 1 Box 150 Pcs.

Glass Tube – Inner Diameter 10mm

Length - 6cm

Within the Odor Analysis Method, the two important factors are the environment the tester can concentrate in and the **performance of the odor bag.**

Our Odor Bags are made from odorless PET, limiting the impact it has on testing.

✘With the Odor Analysis Method, **Silicon Caps** and **Nose Masks** are needed.

(Sold Separately)


Other Odor Analysis Equipment

We also have a variety of equipment available



Sampling Equipment

Sampling Bags



Other Equipments

Odor Analysis Equipment

